

osborn

EMBRACE THE GRIND



- CUT-OFF DISCS
- GRINDING DISCS
- FLAP DISCS



The daily GRIND just got easier.

At Osborn, we take pride in delivering results. We believe in innovation. Our deep understanding of applications and strong Research and Development system drives us to bring these focuses together to create cutting-edge solutions for the end user – solutions that make a difference.

Copying a good idea is easy, but to bring a better option to the market is not. Determination, competence, focus, courage, thinking outside of the box, taking pride in results, and the ability to bring ideas to life are characteristics that deliver results, and make the daily grind worth it.

CUT-OFF DISCS ● GRINDING DISCS ● FLAP DISCS

FINDING THE RIGHT DISC

	Cut-off Discs	Grinding Discs	Flap Discs
Cutting	● ● ●		
Notching	●	● ●	
Gouging		● ● ●	○
Fillet Weld Removal		● ● ●	● ●
Beveling		● ● ●	● ●
Scale Removal		○	● ● ●
Weld Removal		● ● ●	● ● ●
Contoured Areas		○	● ● ●

- ● ● Best Choice
- ● Better
- Good
- Suitable





Osborn Abrasives - Embrace the Grind.

Osborn abrasives set the highest performance standard in the market. Our products are designed to take on the toughest cutting, grinding, blending, beveling, or deburring applications. Osborn's U.S. and Germany-based R&D and manufacturing teams work tirelessly to develop and manufacture products that deliver the performance you need - stronger, faster cutting, longer lasting, smoother cutting. The best raw materials, product designs, world class prime manufacturing, and R&D excellence come together in Osborn abrasives, and bring performance to the pros who demand the most.

READING THE LABEL

Part Number: P/N 1113250572

Abrasive Grade + Grit Spec: **A46**
The higher the number, the finer the grit

Material Application Icon: METAL ACIER ACERO (Icon of a factory)

Product Dimensions: 4 1/2" Ø 115 mm, 0.045" 1.2 mm, 7/8" 22,23 mm

Disc Type: T 27

Product Specific Information: 13,280 RPM MAX

Application Information:
 Red - metal / metal + stainless
 Blue - stainless

Safety Information:
WARNING: To prevent serious injury, wear eye, face & body protection. Do not drop. Mount & use wheel properly per ANSI B7.1/OSHA. Use guards. Not for grinding.
AVERTISSEMENT: Afin d'éviter des blessures graves, porter la protection nécessaire pour les yeux, le visage et le corps. Ne pas laisser tomber. Monter et utiliser la meule conformément à ANSI B 7.1 et OSHA. Utiliser des gardes de protection. Ne pas utiliser pour le meulage.
ADVERTENCIA: Para prevenir lesiones graves: use protección de ojos, rostro y cuerpo. No deje la rueda caer. Montela y úsela correctamente según las normas ANSI B 7.1/OSHA. Utilice guardas de protección. No para desbastar.

Osborn - 2350 Salisbury Road North, Richmond, IN 47374
www.osborn.com/safety

INDUSTRIES:

Oil & Gas +
 Automotive +
 Machine Shops +
 Ship Building +

Agriculture +
 Construction +
 Transportation +



CUT-OFF DISCS



Cut fast. Last long. Osborn cut-off disc range features a rugged reinforced design that helps the user cut faster for longer in portable and fixed-base cut off applications. Select from our range of styles, designs, and Aluminum Oxide or our Advanced Aluminum Oxide abrasive grades to achieve the optimum performance for your cutting application.

- Best Choice
- Better
- Good
- Suitable

A

A+

EXT



Abrasive Type	Aluminum Oxide		Advanced Aluminum Oxide		Ceramic	
Grain Size / Coarseness	60	46	60	46	60	46
Life	●	●	●●	●●	●●●	●●●
Cut Speed	●	●●	●	●●	●●●	●●●
Smooth Cut	●●	●	●●	●	●●●	●●

Application Materials




unalloyed and alloyed construction steel	●	●	●●	●●	●●●	●●●
very solid construction steel	●	●	●●	●●	●●●	●●
tool steel	●	●	●●	●●	●●●	●●
high-alloy special steel	●●	●●	●●	●●	●●●	●●●
angular steel profiles	●●	●●	●●	●●	●●●	●●●
angular stainless steel profiles	●●	●●	●●	●●	●●●	●●●
cast	○	○	●	●	●●	●●
aluminium alloy	●●	○	●	●	●●	●●
copper	●●	○	●	●	●●	●●
brass / bronze	●●	○	●	●	●●	●●




Cut-Off Discs - A

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T01 	4.5	0.040	60	7/8	13,280	25	1111240572	622424790048
T01 	4.5	0.045	46/60	7/8	13,280	25	1111250572	622424790062
T01 	5	0.045	60	7/8	12,200	25	1120240572	622424790802
T01 	6	0.040	60	7/8	10,200	25	1151240572	622424790901
T01 	6	0.045	60	7/8	10,200	25	1151250572	622424790130
T27 	4.5	0.045	46/60	5/8-11	13,280	10	1113250072	622424790086
T27 	4.5	0.045	46/60	7/8	13,280	25	1113250572	622424790093
T27 	5	0.045	60	5/8-11	12,200	10	1122240072	622424790840
T27 	5	0.045	60	7/8	12,200	25	1122240572	622424790857
T27 	7	0.060	46	5/8-11	8,600	10	1183250072	622424790147
T27 	7	0.060	46	7/8	8,600	25	1183250572	622424790154

Cut-Off Discs - A+

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T01 	4.5	0.040	60	7/8	13,280	25	1111246572	622424790055
T01 	4.5	0.045	46/60	7/8	13,280	25	1111251572	622424790079
T01 	5	0.045	60	7/8	12,200	25	1121240572	622424790819
T01 	6	0.045	60	7/8	10,200	25	1151246572	622424790123
T27 	4.5	0.045	46/60	5/8-11	13,280	10	1113251072	622424790109
T27 	4.5	0.045	46/60	7/8	13,280	25	1113251572	622424790116
T27 	5	0.045	60	5/8-11	12,200	10	1123240072	622424790864
T27 	5	0.045	60	7/8	12,200	25	1123240572	622424790871
T27 	7	0.060	46	5/8-11	8,600	10	1183251072	622424790161
T27 	7	0.060	46	7/8	8,600	25	1183251572	622424790178

Cut-Off Discs - EXT

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T01 	4.5	0.040	60	7/8	13,280	25	1111500572	622424790772
T01 	5	0.045	60	7/8	12,200	25	1121500572	622424790826
T01 	5	0.06	46	7/8	12,200	25	1121512572	622424790833
T01 	6	0.06	46	7/8	10,200	25	1153511572	622424790932

FLAP DISCS



The most versatile surface finishing and shaping abrasive product is the flap disc. The Osborn flap discs will save you time and money by delivering the performance of grinding wheels and fiber discs in one product. Remove material quickly and leave a nice finish, all in one step. Select from Osborn's self-sharpening abrasive options Zirconia or our Ceramic EXT series to find the best combination of speed, life, and finish for your application.

- Best Choice
- Better
- Good
- Suitable

Z EXT




Abrasive Type	Zirconia	Ceramic
Life	●●	●●●
Speed	●●	●●●
Heat	●●	●●●
Consistency of Performance Through Life	●●	●●●
Mill Scale Removal	●	●

Application Materials





unalloyed and alloyed construction steel	●●●	●●
very solid construction steel	●●●	●●
tool steel	●●	●●●
high-alloy special steel	●●	●●●
sheet steel	●●●	●●
stainless sheet steel	●●	●●●
welding seams	●●●	●●●
cast	●	●●
non-ferrous metals	●●	●●●
wood	●	●
plastic	●	●
filling compound	●	●



Flap Discs - Z - 5/8"-11 Arbor

Type	Diameter	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T29 	4.5	36	5/8"-11	13,280	10	5211383072	622424791113
T29 	4.5	40	5/8"-11	13,280	10	5211384072	622424791137
T29 	4.5	60	5/8"-11	13,280	10	5211386072	622424791144
T29 	4.5	80	5/8"-11	13,280	10	5211387072	622424791151
T29 	4.5	120	5/8"-11	13,280	10	5211389072	622424791168
T29 	6	36	5/8"-11	10,200	10	5215383072	622424791632
T29 	6	40	5/8"-11	10,200	10	5215384072	622424791656
T29 	6	60	5/8"-11	10,200	10	5215386072	622424791670
T29 	6	80	5/8"-11	10,200	10	5215387072	622424791694
T29 	6	120	5/8"-11	10,200	10	5215389072	622424791717
T29 	7	36	5/8"-11	8,600	10	5218383072	622424791854
T29 	7	40	5/8"-11	8,600	10	5218344072	622424791830
T29 	7	60	5/8"-11	8,600	10	5218346072	622424791847
T29 	7	80	5/8"-11	8,600	10	5218387072	622424791878
T29 	7	120	5/8"-11	8,600	10	5218389072	622424791885

Flap Discs - Z - 7/8" Arbor








Type	Diameter	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	40	7/8	13,280	10	5211184572	622424790338
T27 	4.5	60	7/8	13,280	10	5211186572	622424790345
T27 	4.5	80	7/8	13,280	10	5211187572	622424790352
T27 	7	40	7/8	8,600	10	5218184572	622424790451
T27 	7	60	7/8	8,600	10	5218186572	622424790468
T27 	7	80	7/8	8,600	10	5218187572	622424790475
T29 	4.5	36	7/8	13,280	10	5211383572	622424791120
T29 	4.5	40	7/8	13,280	10	5211384572	622424790369
T29 	4.5	60	7/8	13,280	10	5211386572	622424790376
T29 	4.5	80	7/8	13,280	10	5211387572	622424790383
T29 	4.5	120	7/8	13,280	10	5211389572	622424791175
T29 	5	36	7/8	12,200	10	5212383572	622424791434
T29 	5	40	7/8	12,200	10	5212384572	622424791441
T29 	5	60	7/8	12,200	10	5212386572	622424791458
T29 	5	80	7/8	12,200	10	5212387572	622424791465
T29 	5	120	7/8	12,200	10	5212389572	622424791472
T29 	6	36	7/8	10,200	10	5215383572	622424791649
T29 	6	40	7/8	10,200	10	5215384572	622424791663
T29 	6	60	7/8	10,200	10	5215386572	622424791687
T29 	6	80	7/8	10,200	10	5215387572	622424791700
T29 	6	120	7/8	10,200	10	5215389572	622424791724
T29 	7	36	7/8	8,600	10	5218383572	622424791861
T29 	7	40	7/8	8,600	10	5218384572	622424790482
T29 	7	60	7/8	8,600	10	5218386572	622424790499
T29 	7	80	7/8	8,600	10	5218387572	622424790505
T29 	7	120	7/8	8,600	10	5218389572	622424791892

FLAP DISCS

Flap Discs - EXT - 5/8"-11 Arbor

Type	Diameter	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T29 	4.5	36	5/8"-11	13,280	10	5211443072	622424791182
T29 	4.5	40	5/8"-11	13,280	10	5211444072	622424791205
T29 	4.5	60	5/8"-11	13,280	10	5211446072	622424791212
T29 	4.5	80	5/8"-11	13,280	10	5211447072	622424791229
T29 	4.5	120	5/8"-11	13,280	10	5211449072	622424791236
T29 	6	36	5/8"-11	10,200	10	5215443072	622424791731
T29 	6	40	5/8"-11	10,200	10	5215444072	622424791755
T29 	6	60	5/8"-11	10,200	10	5215446072	622424791779
T29 	6	80	5/8"-11	10,200	10	5215447072	622424791793
T29 	6	120	5/8"-11	10,200	10	5215449072	622424791816
T29 	7	36	5/8"-11	8,600	10	5218443072	622424791908
T29 	7	40	5/8"-11	8,600	10	5218444072	622424791922
T29 	7	60	5/8"-11	8,600	10	5218446072	622424791939
T29 	7	80	5/8"-11	8,600	10	5218447072	622424791946
T29 	7	120	5/8"-11	8,600	10	5218449072	622424791953

Flap Discs - EXT - 7/8" Arbor

Type	Diameter	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	40	7/8	13,280	10	5211434572	622424790390
T27 	4.5	60	7/8	13,280	10	5211436572	622424790406
T27 	4.5	80	7/8	13,280	10	5211437572	622424790413
T27 	7	40	7/8	8,600	10	5218434572	622424790512
T27 	7	60	7/8	8,600	10	5218436572	622424790567
T27 	7	80	7/8	8,600	10	5218437572	622424790529
T29 	4.5	36	7/8	13,280	10	5211443572	622424791199
T29 	4.5	40	7/8	13,280	10	5211444572	622424790420
T29 	4.5	60	7/8	13,280	10	5211446572	622424790437
T29 	4.5	80	7/8	13,280	10	5211447572	622424790444
T29 	4.5	120	7/8	13,280	10	5211449572	622424791243
T29 	5	36	7/8	12,200	10	5212443572	622424791489
T29 	5	40	7/8	12,200	10	5212444572	622424791496
T29 	5	60	7/8	12,200	10	5212446572	622424791502
T29 	5	80	7/8	12,200	10	5212447572	622424791519
T29 	5	120	7/8	12,200	10	5212449572	622424791526
T29 	6	36	7/8	10,200	10	5215443572	622424791748
T29 	6	40	7/8	10,200	10	5215444572	622424791762
T29 	6	60	7/8	10,200	10	5215446572	622424791786
T29 	6	80	7/8	10,200	10	5215447572	622424791809
T29 	6	120	7/8	10,200	10	5215449572	622424791823
T29 	7	36	7/8	8,600	10	5218443572	622424791915
T29 	7	40	7/8	8,600	10	5218444572	622424790536
T29 	7	60	7/8	8,600	10	5218446572	622424790543
T29 	7	80	7/8	8,600	10	5218447572	622424790550
T29 	7	120	7/8	8,600	10	5218449572	622424791960

HD FLAP DISCS



Osborn has expanded on the already most versatile surface finishing and shaping abrasive product on the market. The Osborn HD flap disc gives you 30%-40% more life than the standard flap disc and also allows you to work on more complex parts. You will save you time and money by delivering the performance of grinding wheels and fiber discs in one product. Remove material quickly and leave a nice finish, all in one step. Select from Osborn's self-sharpening abrasive options Zirconia or our Ceramic EXT series to find the best combination of speed, life, and finish for your application.

HD Flap Discs - Z

Type	Diameter	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T29 	4.5	36	7/8	13,280	10	5211453572	622424791267
T29 	4.5	36	5/8"-11	13,280	10	5211453072	622424791250
T29 	4.5	40	7/8	13,280	10	5211454572	622424791281
T29 	4.5	40	5/8"-11	13,280	10	5211454072	622424791274
T29 	4.5	60	7/8	13,280	10	5211456572	622424791304
T29 	4.5	60	5/8"-11	13,280	10	5211456072	622424791298
T29 	4.5	80	7/8	13,280	10	5211457572	622424791328
T29 	4.5	80	5/8"-11	13,280	10	5211457072	622424791311
T29 	4.5	120	7/8	13,280	10	5211459572	622424791342
T29 	4.5	120	5/8"-11	13,280	10	5211459072	622424791335
T29 	5	36	7/8	12,200	10	5212453572	622424791533
T29 	5	40	7/8	12,200	10	5212454572	622424791540
T29 	5	60	7/8	12,200	10	5212456572	622424791557
T29 	5	80	7/8	12,200	10	5212457572	622424791564
T29 	5	120	7/8	12,200	10	5212459572	622424791571

HD Flap Discs - EXT

Type	Diameter	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T29 	4.5	36	7/8	13,280	10	5211473572	622424791366
T29 	4.5	36	5/8"-11	13,280	10	5211473072	622424791359
T29 	4.5	40	7/8	13,280	10	5211474572	622424791380
T29 	4.5	40	5/8"-11	13,280	10	5211474072	622424791373
T29 	4.5	60	7/8	13,280	10	5211476572	622424791403
T29 	4.5	60	5/8"-11	13,280	10	5211476072	622424791397
T29 	4.5	80	7/8	13,280	10	5211477572	622424791410
T29 	4.5	120	7/8	13,280	10	5211479572	622424791427
T29 	5	36	7/8	12,200	10	5212473572	622424791588
T29 	5	40	7/8	12,200	10	5212474572	622424791595
T29 	5	60	7/8	12,200	10	5212476572	622424791601
T29 	5	80	7/8	12,200	10	5212477572	622424791618
T29 	5	120	7/8	12,200	10	5212479572	622424791625

GRINDING DISCS



- best choice
- better
- good
- suitable

A

AS

Z

EXT

	Aluminum Oxide	Advanced Aluminum Oxide	Zirconia	Ceramic
Abrasive Type				
Life	●	●	●●	●●
Speed	●	●	●●	●●●
Heat	●	●●	●●	●●●
Consistency of Performance Through Life	●	●	●●	●●●
Contaminate Free Stainless Cutting		●●●	●●●	●●●

Application Materials



unalloyed and alloyed construction steel	●●	●	●●	●●●
very solid construction steel	●	●	●●	●●
tool steel	●	●	●●	●●
high-alloy special steel		●●	●●	●●●
sheet steel	●●	●	●●	●●
stainless sheet steel		●●	●●	●●●
welding seams	●●	●	●●●	●●●
cast	○	●	●●	●●
non-ferrous metals	●	○	●●	●●





A, AS, Z, EXT

For the toughest stock removal and roughest blending applications, the Osborn grinding disc range will help you get the job done right. Available in various styles, sizes, grit specs and abrasive types, including the highest performing ceramic EXT series discs, we have your needs and applications covered.




Grinding Discs - A

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	0.250	24	5/8-11	13,280	10	3116520072	622424790017
T27 	4.5	0.250	24	7/8	13,280	10	3116520572	622424790185
T27 	5	0.250	24	5/8-11	12,200	10	3126520072	622424790024
T27 	5	0.250	24	7/8	12,200	10	3126520572	622424790239
T27 	6	0.250	30	5/8-11	10,200	10	3156041072	622424791038
T27 	6	0.250	30	7/8	10,200	10	3156041572	622424791045
T27 	7	0.250	24	5/8-11	8,600	10	3186520072	622424790031
T27 	7	0.250	24	7/8	8,600	10	3186520572	622424790284


Grinding Discs - AS

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	0.250	24	5/8-11	13,280	10	3116540072	622424790192
T27 	4.5	0.250	24	7/8	13,280	10	3116540572	622424790208
T27 	5	0.250	24	5/8-11	12,200	10	3126540072	622424790246
T27 	5	0.250	24	7/8	12,200	10	3126540572	622424790253
T27 	6	0.250	24/30	5/8-11	10,200	10	3156520072	622424791052
T27 	6	0.250	24/30	7/8	10,200	10	3156520572	622424791069
T27 	7	0.250	24	5/8-11	8,600	10	3186540072	622424790291
T27 	7	0.250	24	7/8	8,600	10	3186540572	622424790307

Grinding Discs - Z

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	0.250	30	5/8-11	13,280	10	3116560072	622424790970
T27 	4.5	0.250	30	7/8	13,280	10	3116560572	622424790987
T27 	5	0.250	30	5/8-11	12,200	10	3126560072	622424791014
T27 	5	0.250	30	7/8	12,200	10	3126560572	622424791021
T27 	6	0.250	30	5/8-11	10,200	10	3156560072	622424791076
T27 	6	0.250	30	7/8	10,200	10	3156560572	622424791083
T27 	7	0.250	30	5/8-11	8,600	10	3186560072	622424791090
T27 	7	0.250	30	7/8	8,600	10	3186560572	622424791106

Grinding Discs - EXT

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	0.250	24	5/8-11	13,280	10	3117560072	622424790215
T27 	4.5	0.250	24	7/8	13,280	10	3117560572	622424790222
T27 	5	0.250	24	5/8-11	12,200	10	3127561072	622424790260
T27 	5	0.250	24	7/8	12,200	10	3127561572	622424790277
T27 	7	0.250	24	5/8-11	8,600	10	3187560072	622424790314
T27 	7	0.250	24	7/8	8,600	10	3187560572	622424790321

COMBO CUT/GRIND DISCS



For light to moderate stock removal and notching applications, the Osborn combo cut/grind disc range will help you get the job done right. Available in various sizes, grit specs and abrasive types, including the long lasting high performance zirconia Z series discs, we have your needs and applications covered.



- best choice
- better
- good
- suitable

A+


Z

	Advanced Aluminum Oxide	Zirconia
Abrasive Type		
Life	●	●●
Speed	●	●●
Heat	●●	●●
Consistency of Performance Through Life	●	●●
Contaminate Free Stainless Cutting	●●●	●●●

Pipeline Grinding Discs - A+

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	1/8"	46	5/8-11	13,280	10	1113270072	622424790789
T27 	4.5	1/8"	46	7/8	13,280	10	1113270572	622424790796
T27 	5	1/8"	46	5/8-11	12,200	10	1123270072	622424790888
T27 	5	1/8"	46	7/8	12,200	10	1123270572	622424790895
T27 	6	1/8"	46	5/8-11	10,200	10	1153270072	622424790918
T27 	6	1/8"	46	7/8	10,200	10	1153270572	622424790925
T27 	7	1/8"	46	5/8-11	8,600	10	1183270072	622424790949

Pipeline Grinding Discs - Z

Type	Diameter	Thickness	Grit	Arbor Hole	Max. RPM	Qty/box	Part No.	UPC-Code
T27 	4.5	1/8"	36	5/8-11	13,280	10	3113551072	622424790956
T27 	4.5	1/8"	36	7/8	13,280	10	3113551572	622424790963
T27 	5	1/8"	36	5/8-11	12,200	10	3123551072	622424790994
T27 	5	1/8"	36	7/8	12,200	10	3123551572	622424791007

MERCHANDISING SOLUTIONS

ORDER TODAY AND GET 10% OFF



Call your sales representative or call 800-720-3358



Countertop - Waterfall Kit - Top 3 Cut-off Discs - 7/8" Arbor Hole

Kit Part No. 000**4300100**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/kit	Part No.	UPC Code		
Cut-off	A	T01			4.5	0.040	60	7/8	13,280	100	1111240572	622424790048
Cut-off	A	T01			4.5	0.045	46/60	7/8	13,280	50	1111250572	622424790062
Cut-off	A+	T01			4.5	0.040	60	7/8	13,280	50	1111246572	622424790055

200

Countertop - Waterfall Kit - Top Cut-off/Grinding Discs


Kit Part No. 000**4300200**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/kit	Part No.	UPC Code		
Cut-off	A	T01			4.5	0.040	60	7/8	13,280	100	1111240572	622424790048
Grinding	A	T27			4.5	0.250	24	7/8	13,280	30	3116520572	622424790185

130

Countertop - Double Barrel Kit - Top Flap Discs

Kit Part No. 000**4300300**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/kit	Part No.	UPC Code		
Flap	Z	T27			4.5	-	40	7/8	13,280	20	5211184572	622424790338
Flap	Z	T29			4.5	-	40	7/8	13,280	20	5211384572	622424790369

40

Countertop - Double Barrel Kit - Top Cut-off Discs - 5/8-11 Arbor Hole

Kit Part No. 000**4300400**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/kit	Part No.	UPC Code		
Cut-off	A	T27			4.5	0.045	46/60	5/8-11	13,280	20	1113250072	622424790086
Cut-off	A+	T27			4.5	0.045	46/60	5/8-11	13,280	20	1113251072	622424790109

40

for more details or to order your **FREE** samples.

24" x 24" - Wall Display Kit - Top Items - Cut-off / Grinding / Flap Discs

Kit Part No. 000**4300500**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/ kit	Part No.	UPC- Code	
Cut-off	A	T01		4.5	0.040	60	7/8	13,280	50	1111240572	622424790048
Cut-off	A+	T01		4.5	0.040	60	7/8	13,280	25	1111246572	622424790055
Cut-off	A	T01		4.5	0.045	46/60	7/8	13,280	50	1111250572	622424790062
Cut-off	A+	T01		4.5	0.045	46/60	7/8	13,280	25	1111251572	622424790079
Cut-off	A	T01		6	0.045	60	7/8	10,200	10	1151250572	622424790130
Cut-off	A+	T01		6	0.045	60	7/8	10,200	25	1151246572	622424790123
Cut-off	A	T27		4.5	0.045	46/60	5/8-11	13,280	25	1113250072	622424790086
Cut-off	A+	T27		4.5	0.045	46/60	5/8-11	13,280	10	1113251072	622424790109
Grinding	A	T27		4.5	0.250	24	7/8	13,280	30	3116520572	622424790185
Grinding	AS	T27		4.5	0.250	24	7/8	13,280	30	3116540572	622424790208
Grinding	EXT	T27		4.5	0.250	24	7/8	13,280	30	3117560572	622424790222
Grinding	A	T27		7	0.250	24	5/8-11	8,600	10	3186520072	622424790031
Flap	Z	T27		4.5	-	40	7/8	13,280	10	5211184572	622424790338
Flap	EXT	T27		4.5	-	40	7/8	13,280	10	5211434572	622424790390
Flap	Z	T29		4.5	-	40	7/8	13,280	10	5211384572	622424790369
350											

350

24" x 24" - Wall Display Kit - Top Flap Discs

Kit Part No. 000**4300600**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/kit	Part No.	UPC-Code	
Flap	Z	T27		4.5	-	40	7/8	13,280	10	5211184572	622424790338
Flap	Z	T27		4.5	-	60	7/8	13,280	10	5211186572	622424790345
Flap	Z	T27		4.5	-	80	7/8	13,280	10	5211187572	622424790352
Flap	Z	T27		7	-	40	7/8	8,600	10	5218184572	622424790451
Flap	Z	T29		4.5	-	40	7/8	13,280	10	5211384572	622424790369
Flap	Z	T29		4.5	-	60	7/8	13,280	10	5211386572	622424790376
Flap	Z	T29		4.5	-	80	7/8	13,280	10	5211387572	622424790383
Flap	Z	T29		7	-	40	7/8	8,600	10	5218384572	622424790482
Flap	Z	T29		7	-	60	7/8	8,600	10	5218386572	622424790499
Flap	EXT	T27		4.5	-	40	7/8	13,280	10	5211434572	622424790390
Flap	EXT	T27		4.5	-	60	7/8	13,280	10	5211436572	622424790406
Flap	EXT	T29		4.5	-	40	7/8	13,280	10	5211444572	622424790420
Flap	EXT	T29		4.5	-	60	7/8	13,280	10	5211446572	622424790437

130

24" x 24" - Wall Display Kit - Top Cut-Off/Grinding Discs

Kit Part No. 000**4300700**

Product	Grade	Type			Grit	Arbor Hole	Max. RPM	Qty/kit	Part No.	UPC-Code	
Cut-off	A	T01		4.5	0.040	60	7/8	13,280	50	1111240572	622424790048
Cut-off	A	T01		4.5	0.045	46/60	7/8	13,280	50	1111250572	622424790062
Cut-off	A	T27		4.5	0.045	46/60	5/8-11	13,280	10	1113250072	622424790086
Cut-off	A	T27		7	0.060	46	5/8-11	8,600	10	1183250072	622424790147
Cut-off	A+	T01		4.5	0.040	60	7/8	13,280	25	1111246572	622424790055
Cut-off	A+	T01		4.5	0.045	46/60	7/8	13,280	25	1111251572	622424790079
Cut-off	A+	T27		4.5	0.045	46/60	7/8	13,280	25	1113251572	622424790116
Cut-off	A+	T27		4.5	0.045	46/60	5/8-11	13,280	10	1113251072	622424790109
Cut-off	A+	T01		6	0.045	60	7/8	10,200	25	1151246572	622424790123
Cut-off	A	T01		6	0.045	60	7/8	10,200	25	1151250572	622424790130
Grinding	A	T27		4.5	0.250	24	7/8	13,280	30	3116520572	622424790185
Grinding	AS	T27		4.5	0.250	24	7/8	13,280	30	3116540572	622424790208
Grinding	EXT	T27		4.5	0.250	24	7/8	13,280	30	3117560572	622424790222
Grinding	A	T27		7	0.250	24	5/8-11	8,600	10	3186520072	622424790031

355

Osborn Sells Solutions

The Global Leader in Surface Treatment Solutions and Finishing Tools

- Abrasives
- ATB™ Power Brushes
- Chemical Products
- Load Runners
- Machines & Equipment
- Maintenance Brushes
- Polishing Buffs
- Polishing Compounds
- Punched/Staple-Set Brushes
- Road-Sweeping Brushes
- Strip Brushes
- Wide-Face Rollers
- Wire Power Brushes

Osborn

Tel: 800-720-3358 • 765-965-5333

Web: osbornabrasives.com

Email: marketsupport@osborn.com

