

BC4250-VG GREEN COLORING COMPOUND

SAFETY DATA SHEET

Page 1 of 3

PRINTED: 6/30/2020 REVISED: 06/30/2020

Section 1	CHEMICAL PROD	UCT and CO	MPANY IDE	NTIFICATION	
Identification: Product Name: Recommended use: Manufacturer: Emergency telephone:	BC4250-VG (FREE OF ANIMA Polishing Osborn 3440 Symmes Roa Hamilton, OH 4501 Telephone: 513-86	d 15	GREDIENTS))	
Section 2 Hazard Classification: Irrit WARNING: Dust produced	HAZARDS IDENTII ant d in use may tempo		Hazard Pic	ctogram:	\wedge
-	skin, and respirator	-			
Hazard Classifications:					•
NFPA HAZARD RATING:	Fire: (1, minimal)	Health: (2,	slight)	Reactivity:	(1, minimal)
GHS HAZARDS:	Fire: (5, minimal)	Health: (4,	·		(5, minimal)
respiratory tra	ct.	-	-	l irritation of ski	n, eyes, and
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat		reach of child hing dust, ma ughly after ha If needed wa	dren. ay cause resp andling. Avoi ear eye prote ry irritation t	iratory tract irri d skin irritation action and dust r	tation by wearing mask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. nerated in use may ca cory tract. Exposure sh COMPOSITION /	reach of child hing dust, ma ughly after ha If needed we ause tempora nould be mini	dren. Ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS	tation by wearing mask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. nerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number	reach of child hing dust, ma ughly after ha If needed we ause tempora nould be mini INFORMATIC EC Numbe	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range	tation by wearing mask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. nerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1	reach of child hing dust, ma ughly after ha If needed we ause tempora hould be mini INFORMATIO EC Numbe 215-691-6	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irri id skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80	tation by wearing mask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1 1308-38-9	reach of child hing dust, ma ughly after ha use tempora hould be mini INFORMATIO EC Numbe 215-691-6 215-160-9	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irri id skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80 1-10	tation by wearing nask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide Vegetable oil derivatives	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1 1308-38-9 Proprietary	reach of child hing dust, ma ughly after ha If needed we ause tempora nould be mini INFORMATION EC Number 215-691-6 215-160-9 Proprietar	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80 1-10 10-20	tation by wearing nask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1 1308-38-9	reach of child hing dust, ma ughly after ha use tempora hould be mini INFORMATIO EC Numbe 215-691-6 215-160-9	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irri id skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80 1-10	tation by wearing nask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide Vegetable oil derivatives	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1 1308-38-9 Proprietary	reach of child hing dust, ma ughly after ha If needed we ause tempora nould be mini NFORMATIO EC Numbe 215-691-6 215-160-9 Proprietar	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80 1-10 10-20	tation by wearing nask.
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide Vegetable oil derivatives Petroleum products Section 4 General:	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1 1308-38-9 Proprietary Proprietary FIRST AID MEASU Remove contamina	reach of child hing dust, ma ughly after ha If needed we ause tempora hould be mini NFORMATIO 215-691-6 215-160-9 Proprietar Proprietar IRES ated clothing.	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80 1-10 10-20 5-15	tation by wearing mask. e, and
respiratory tra Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide Vegetable oil derivatives Petroleum products Section 4 General: Inhalation:	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / CAS Number 1344-28-1 1308-38-9 Proprietary Proprietary Proprietary FIRST AID MEASU Remove contamina If excessive dust is breathing difficulti Check for and rem water, cold water	reach of child hing dust, ma ughly after ha If needed we ause tempora nould be mini INFORMATIO EC Numbe 215-691-6 215-160-9 Proprietar Proprietar IRES ated clothing. inhaled, remo	dren. ay cause resp andling. Avoi ear eye prote ry irritation to mized. ON ON ING er y y y y ove to fresh a act lenses. Flu	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS % Range 70-80 1-10 10-20 5-15 air. Seek medical ush eyes with lar	tation by wearing mask. e, and l attention if ge amounts of
Precautionary Phrases: Emergency Overview: Dust ge respirat Section 3 CHEMICAL NAME Aluminum oxide, non-fibrous Chromium (III) Oxide Vegetable oil derivatives Petroleum products Section 4	ct. P102: Keep out of P261: Avoid breat P264: Wash thoro protective gloves. Inerated in use may ca cory tract. Exposure sh COMPOSITION / I CAS Number 1344-28-1 1308-38-9 Proprietary Proprietary Proprietary FIRST AID MEASU Remove contamina If excessive dust is breathing difficulti Check for and rem	reach of child hing dust, ma ughly after ha If needed we ause tempora nould be mini NFORMATIO EC Numbe 215-691-6 215-160-9 Proprietar Proprietar RES ated clothing. inhaled, reme es persist. ove any conta may be used.	dren. ay cause resp andling. Avoi ear eye prote ry irritation t mized. ON ON ING er y y y v v v v v v v v v v v v v	iratory tract irritid skin irritation ection and dust r o skin, eyes, nos REDIENTS 9% Range 70-80 1-10 10-20 5-15 air. Seek medical ush eyes with lar al attention if vis Remove contami reuse.	tation by wearing mask. e, and l attention if ge amounts of ion difficulties nated clothing

VOMITING unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Ingestion of small quantities



BC4250-VG **GREEN COLORING** COMPOUND

Page 2 of 3

PRINTED: 6/30/2020 <u>REVISED: 06/30/2020</u>

is not expected to produce symptoms. If large quantities are swallowed, obtain medical help.

Section 5

FIRE FIGHTING MEASURES

Explosion hazard: None.

Suitable extinguishing media: Dry chemical, alcohol foam, carbon dioxide, gentle water flow. Fire hazard: Contains combustible wax or grease which may liquefy and flow when heated.

Firefighters should use self-contained breathing apparatus.

Section 6 ACCIDENTAL RELEASE MEASURES

Emergency Action: If material cannot be recovered, transfer to waste container and dispose in local landfill, in compliance with local, state and federal regulations.

Section 7

HANDLING AND STORAGE

Handling: Wear protective gloves if skin irritation is experienced. Wash hands before eating. Avoid breathing dust produced in use.

Storage: Store at room temperature away from excessive heat.

Section 8	EXPOSURE CONTROLS / PERSONAL PROTECTION				
	CAS Number	EC Number	OSHA PEL	ACGIH TLV	
Aluminum oxide, non- fibrous	1344-28-1	215-691-6	15 mg/m 3 TWA	10 mg/m 3 TWA	
Chromium (III) Oxide	1308-38-9	215-160-9	1 mg/m 3 TWA	0.5 mg/m 3 TWA	
Petroleum products	Proprietary	Proprietary	5 mg/m 3 TWA	5 mg/m 3 TWA	

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep dust levels below

occupational exposure limits. See section 2 for component exposure guidelines. Local exhaust ventilation is acceptable.

Respirator: Use a NIOSH-certified dust mask or equivalent.

Hand Protection: Wear gloves.

Eye Protection: Protective eye-wear should be used in dusty environment.

Other Recommendations: Wear protective clothing such as long sleeves. Wash hands after handling.

Section 9 PHYSICAL AND CHEMICAL PROPERTIES				
Density	Approximately 2.0 g/cm3	рН	NA	
Physical State	Solid bar	Boiling Point	NA	
Appearance	Green	Freeze Point	NA	
Odor	Mild or none	Vapor Density (Air=1)	NA	
Solubility in water	Insoluble			

Section 10

STABILITY AND REACTIVITY

General: Stable.

Incompatible Materials and Conditions to Avoid: Strong oxidizing agents. Hazardous Polymerization: Will not occur.

Section 11

TOXICOLOGY INFORMATION

No information available on Acute or Chronic ingestion or inhalation toxicity. No ingredients present above 0.1% which are carcinogenic according to NTP, IARC, or OSHA findings.

Section 12

ECOLOGICAL INFORMATION

All ingredients are inert in the environment, or biodegrade to non-hazardous compounds.



BC4250-VG GREEN COLORING COMPOUND

Page 3 of 3

PRINTED: 6/30/2020 <u>REVISED: 06/</u>30/2020

Section 13

DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 Classifications: Not classified as hazardous. Federal, State, and Local laws governing disposal of material can differ. Ensure proper disposal compliance with proper authorities before disposal.

Section 14

Section 15

TRANSPORTATION INFORMATION

NON-HAZARDOUS MATERIAL Not regulated for transportation under US DOT, IATA, ICAO, IMDG, Canadian TDG Regulations, or EU ADR.

REGULATORY INFORMATION

US Federal Regulations: SDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

- CERCLA/Superfund, 40 CFR 117, 302: None of the chemicals are CERCLA hazards
- SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311, 312 and 313:
- Section 302 None of the chemicals are extremely hazardous substances (40 CFR 355).
- Section 311/312 Material Safety Data Sheet Requirements (40 CFR 370): By our hazard evaluation, this product may be an eye and skin irritant.
- Section 313 List of Toxic Chemicals (40CFC 372): This product contains no chemicals (at level of 1% or greater) that are found on the 313 list of Toxic Chemicals.
- Toxic Substance Control Act (TSCA): All substances are TSCA listed.
- Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13.

STATE REGULATIONS:

- No substances in this mixture are specifically listed by individual state. Other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.
- California Proposition 65: None of the ingredients are on the Proposition 65 list
- Canada WHMIS: Not Controlled. All components of this product are included in the Canadian DSL (Domestic Substances List)

Sections 16

OTHER INFORMATION

SHIPPING INFORMATION: For Shipping information refer to section 14.

REVISION DATES	SECTIONS	REVISED BY
6/30/2020	Company Info	EB

ABBREVIATIONS USED IN THIS DOCUMENT: NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR)

Chemical Guide and OSHA Hazardous Communication Standard

US Department of Labor; Occupational Safety & Health Administration (www.osha.gov)

The Environmental Protection Agency (<u>www.epa.gov</u>)

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Government of Canada: http://canadagazette.gc.ca/news-e.html

To the best of our knowledge, the information contained herein is accurate. However, neither Osborn nor any of its subsidiaries assumes any liability **whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.